

PMC WATER SYSTEMS SERVICES INC. 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL pmcwater@aol.com, www.pmcwatersystems.com

# MATERIAL SAFETY DATA SHEET **ANTIFOAM 58**



#### **MATERIAL IDENTIFICATION AND USE**

- **Manufacturer's Name Manufacturer's Address** Manufacture's Phone # 24 Emergency Phone # **Product Identifier Product Use** WHMIS Class **TDG Class**
- PMC Water Systems Services Inc.
- 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7
- (905) 669-8262
- Canutec (613) 996-6666
- Antifoam 58

:

:

:

:

:

:

- Defoamer
- [D2B] Poisonous :
- : Not TDG Regulated

## HAZARDOUS INGREDIENTS OF MATERIAL

Ingredients Napthenic Oil Concentration <50%

CAS# 64742-52-5

**LD**<sub>50</sub> 5000 mg/kg (rat)

LC<sub>50</sub> Not Applicable

The remaining ingredients are not classified as hazardous according to the DSL.

# **PHYSICAL DATA FOR PRODUCT**

Physical State		Liquid
Odour and Appearance		Mild odour, tan/opaque emulsion
Odour Threshold		Not Applicable
Specific Gravity (Water = 1)	:	0.89 g/cc
Vapour Pressure (mmHg)	:	<0.01 @ 20°C, 86°F
Vapour Density (Air = 1)	:	Not Applicable
Evaporation Rate	:	<0.01 (Butyl Acetate = 1)
Boiling Point	:	>175°C, >347°F
Freezing Point	:	Not Applicable
рН	:	Not Applicable
<b>Coefficient Water/Oil Distribution</b>	:	Not Applicable

### FIRE AND EXPLOSION HAZARD OF PRODUCT

Flash Point And Method of	:	>120°C, 248°F
Determination		
Conditions of Flammability	:	Not Flammable
Means of Extinction	:	Water spray, carbon dioxide, foam or dry chemical
Upper Explosion Limit	:	Not Applicable
Lower Explosion Limit	:	Not Applicable
Auto-Ignition Temperature	:	Not Applicable
Hazardous Combustion Products	:	Not Applicable

#### **REACTIVITY DATA**

Stability	:
Incompatible Materials	:
Conditions of Reactivity	:
Hazardous Decomposition Products	:

Stable Strong oxidizing agents None known Carbon monoxide

## **TOXICOLOGICAL PROPERTIES**

Routes of Entry		
Skin Contact	:	Not Available
Skin Absorption	:	Not Available
Eye Contact	:	Yes
Ingestion	:	Yes
Inhalation	:	Yes
Acute or Over Exposure Effects	:	May cause nausea, vomiting or diarrhea
Chronic Exposure Effects	:	No Data Available
Exposure Limit	:	No Data Available
Irritancy	:	No Data Available
Sensitization	:	No Data Available
Carcinogenicity	:	No Data Available
Teratogenicity	:	No Data Available
Mutagenicity	:	No Data Available
<b>Reproductive Effects</b>	:	No Data Available

#### **PREVENTATIVE MEASURES**

<b>Personal Protective Equipment</b>	:	Goggles, gloves, boots and synthetic apron
<b>Respiratory Protection</b>	:	Not normally required
Ventilation Requirements	:	Normal room ventilation
Spill and Leak Procedures	:	Dispose in accordance with local regulations
Storage Requirements	:	Keep from freezing

:

:

:

:

## **FIRST AID MEASURES**

Flush eyes with abundant water. Rinse skin with soap and water. In case of ingestion, do not induce vomiting. Call a physician.

## **PREPARATION INFORMATION**

**Date Prepared** 

Phone

Fax

Lab Services PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord, ON L4K 1L7 905-669-8262 905-669-8252 July 7, 2013

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.