



# PMC WATER SYSTEMS SERVICES INC.

## 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL [info@pmcwatersystems.com](mailto:info@pmcwatersystems.com), [www.pmcwatersystems.com](http://www.pmcwatersystems.com)

### SAFETY DATA SHEET B-3009-D

#### Protection Required



#### SECTION 1 - MATERIAL IDENTIFICATION AND USE

**Manufacturer's Name** : PMC Water Systems Services Inc.  
**Manufacturer's Address** : 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7  
**Manufacturer's Phone #** : (905) 669-8262  
**24 Emergency Phone #** : Canutec (613) 996-6666  
**Product Identifier** : B-3009-D  
**Product Use** : Boiler Water Treatment

#### SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

Ingredients	Concentration	CAS #	LD <sub>50</sub>	LC <sub>50</sub>
Sodium Molybdate	5-15%	10102-40-6	520 mg/kg (oral - rat)	No Data Available
Sodium Hydroxide	1-5%	1310-73-2	800 mg/kg (oral – rat)	No Data Available
Morpholine	1-5%	110-91-8	1250 mg/kg (oral – rat)	No Data Available

#### SECTION 3 – HAZARDS IDENTIFICATION

**Hazard Statement** Harmful if swallowed, in contact with skin or if inhaled. Causes skin and eye irritation. Causes serious eye irritation.

**Precautionary Statement** Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection face protection. Wash thoroughly after handling. Avoid release to the environment. Dispose of contents container in accordance with local, regional, national, and/or international regulations. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed: Call a Poison Center/doctor if you feel unwell. Rinse mouth. Avoid breathing dust/fume/gas/mist/vapours/spray. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a Poison Center/doctor if you feel unwell. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse.

#### SECTION 4 – FIRST AID MEASURES

**Eye Contact** Wash eyes with plenty of water for at least 15 minutes, holding eyelids open. Seek medical attention immediately after flushing.

**Skin Contact** Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and do not reuse until thoroughly cleaned or laundered. Get medical attention.

**Inhalation** Remove victim to fresh air. If breathing stops, administer artificial respiration and seek medical aid promptly. If breathing is difficult, get immediate medical attention.

**Ingestion** Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Give plenty of water to dilute product. If vomiting occurs, keep victim's head below hips to prevent inhalation of vomited material. **Seek medical help immediately!**

**Notes to Physician** NOTE: Inadvertent inhalation of vomited material may seriously damage the lungs. The risk and danger of this is greater than the risk of poisoning through absorption of this product. *Moreover, this product can damage the esophagus on the way down and will cause further damage in the reverse direction!* The stomach should be emptied under medical supervision after the installation of an airway to protect the lungs.

## SECTION 5 – FIRE FIGHTING MEASURES

<b>Flammability</b>	Not Flammable
<b>Flash Point</b>	Not Applicable
<b>Autoignition</b>	Not Available
<b>Temperature</b>	
<b>Extinguishing media</b>	Use extinguishing media appropriate for surrounding fire. Water is not recommended but may be applied in large quantities as a fine spray when other extinguishing agents are not available.
<b>Special Firefighting Procedures/Equipment</b>	Evacuate nonessential personnel from fire area. Product reacts with water, possibly violently, which may produce heat and/or gases. Fire fighters must wear full face, positive pressure, self-contained breathing apparatus and appropriate protective clothing.
<b>Explosion Data</b>	Not Applicable
<b>Hazardous Combustion Products</b>	Sodium oxide, peroxides, carbonates may form in fire. Toxic fumes. Metal oxide fumes.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Safety eye goggles. Wear protective clothing and equipment.
<b>Environment Precautions</b>	Do not contaminate surface water.
<b>Spill Response/Cleanup</b>	Isolate hazard area and restrict access. Stop leak if without risk. Ventilate spill area if possible. Small Spills: soak up spill with absorbent material. Place residues in a suitable, covered container. Wash affected area. For larger spills, reclaim into recovery or salvage drum or tanker truck for proper disposal.

## SECTION 7 – HANDLING AND STORAGE

<b>Handling</b>	Corrosive material. Avoid contact with eyes, skin and clothing. Do not ingest. Use with adequate ventilation. Do not inhale vapour or mist. Use appropriate personal protective equipment. Handle in accordance with good industrial hygiene and safety practices. Do not mix with acids. Keep containers closed when not in use. Empty product containers may contain residue. Follow label warnings even after container is emptied.
<b>Storage Requirements</b>	Store in a cool, dry, well-ventilated. Store in original tightly closed container. Store separately from acids.

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Ventilation</b>	Good general ventilation should be sufficient for most conditions.
<b>Respiratory Protection</b>	Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use a NIOSH approved air-purifying respirator.
<b>Skin Protection</b>	Neoprene, nitrile, PVC, butyl or rubber gloves. Impervious safety boots.
<b>Eye/Face Protection</b>	Chemical safety goggles; face shield.
<b>Other Comments</b>	An eyewash station and safety shower should be available

Ingredients	Exposure Limit - ACGIH	Exposure Limit - OSHA	Immediately Dangerous to Life or Health - IDLH
Sodium Hydroxide	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling	10 mg/m <sup>3</sup>
Sodium Molybdate	5 mg/m <sup>3</sup> TWA	5 mg/m <sup>3</sup> TWA	Not Available
Morpholine	20 ppm TWA	70 mg/m <sup>3</sup> TWA	1400 ppm

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	:	Liquid
<b>Odour and Appearance</b>	:	Slight sweet odour; amber liquid
<b>Odour Threshold</b>	:	Not Available
<b>Specific Gravity (Water = 1)</b>	:	1.07 g/cc
<b>Vapour Pressure (mmHg)</b>	:	No Data Available
<b>Vapour Density (Air = 1)</b>	:	No Data Available
<b>Evaporation Rate</b>	:	No Data Available
<b>Boiling Point</b>	:	No Data Available
<b>Freezing/Melting Point</b>	:	-2° C, 28.4° F
<b>pH</b>	:	13 – 14
<b>Coefficient Water/Oil Distribution</b>	:	Not Applicable
<b>Solubility in Water</b>	:	No Data Available

## SECTION 10 – STABILITY AND REACTIVITY

<b>Stability/Reactivity</b>	Stable under normal conditions
<b>Conditions for Avoid</b>	Freezing temperatures.
<b>Incompatible Materials</b>	Contact with strong acids (eg sulphuric, phosphoric, nitric, hydrochloric, chromic, sulphonic) may generate heat, splattering or boiling and toxic vapours.
<b>Hazardous Decomposition Products</b>	Oxides of carbon, nitrogen, phosphorus.
<b>Hazardous Polymerization</b>	Hazardous polymerization will not occur.

## SECTION 11 – TOXICOLOGICAL INFORMATION

<b>Routes of Entry</b>	:	Eyes, skin.
<b>Skin Contact</b>	:	Brief contact may cause skin burns and irritation.
<b>Eye Contact</b>	:	Corrosive. Will cause eye burns and permanent tissue damage.
<b>Ingestion</b>	:	Can cause burns to mouth, esophagus and stomach.
<b>Inhalation</b>	:	Can cause damage to upper respiratory tract and lung tissue.
<b>Chronic Exposure Effects</b>	:	No identifiable symptoms from exposure not previously mentioned.
<b>Irritancy</b>	:	Not Available
<b>Sensitization</b>	:	Not Available
<b>Carcinogenicity</b>	:	Not Available
<b>Teratogenicity</b>	:	Not Available
<b>Mutagenicity</b>	:	Not Available
<b>Reproductive Effects</b>	:	Not Available

## SECTION 12 – ECOLOGICAL INFORMATION

<b>General Comments</b>	Toxic to aquatic life. May increase pH of waterways and adversely affect aquatic life.
-------------------------	--

## SECTION 13 – DISPOSAL CONSIDERATIONS

<b>Waste Disposal</b>	Dispose in accordance with federal, provincial or local government requirements. Contact your local, provincial or federal environmental agency for specific regulations.
-----------------------	---

## SECTION 14 – TRANSPORT INFORMATION

<b>TDG Shipping Regulations</b>	UN 1824, Corrosive Liquid, NOS (Sodium Hydroxide Solution), Class 8, PG III
---------------------------------	---

## SECTION 15 – REGULATORY INFORMATION

<b>WHMIS Classification</b>	Class D2B: Toxic Material Class E: Corrosive Material
<b>Domestic Substances List</b>	All ingredients are listed on the DSL or are not required to be listed.

## SECTION 16 – OTHER INFORMATION

<b>Prepared by:</b>	Lab Services PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord Ontario L4K 1L7
<b>Preparation Date:</b>	June 21, 2018

---

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.

---