



PMC WATER SYSTEMS SERVICES INC.

124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL info@pmcwatersystems.com, www.pmcwatersystems.com

SAFETY DATA SHEET C-2009-40%

Protection Required



SECTION 1 - MATERIAL IDENTIFICATION AND USE

Manufacturer's Name : PMC Water Systems Services Inc.
Manufacturer's Address : 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7
Manufacturer's Phone # : (905) 669-8262
24 Emergency Phone # : Canutec (613) 996-6666
Product Identifier : C-2009-40%
Product Use : Closed System Freeze Protectant

SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

Ingredients	Concentration	CAS #	LD ₅₀	LC ₅₀
Ethylene Glycol	40%	107-21-1	4700mg/kg (oral – rat)	10.92 mg/l, 4h (oral – rat)

SECTION 3 – HAZARDS IDENTIFICATION

Classification : WARNING
Hazard Statement : Harmful if swallowed. Suspected of damaging the unborn child. May cause damage to kidneys if swallowed.
Precautionary Statement: Keep out of reach of children. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Do not breathe mist or vapours. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed - call a Poison Center/doctor. Rinse mouth. If inhaled - remove person to fresh air and keep comfortable for breathing. Call a Poison Center/doctor if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

SECTION 4 – FIRST AID MEASURES

Eye Contact : Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Get medical attention if irritation develops and persists.
Skin Contact : Immediately remove all contaminated clothing. Wash thoroughly with soap and water for at least 15 minutes. Obtain medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Inhalation : Move victim to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice if needed.
Ingestion : Call a poison control centre or doctor immediately. Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability : Product is not flammable. Container may explode in heat of fire.
Flash Point : 231.8°F, 111.0°C Closed Cup
Autoignition Temperature : 748°F, 397.78°C
Extinguishing media : Use alcohol resistant foam, water fog, dry chemical powder and carbon dioxide (CO₂). Do not use water jet as an extinguisher; it will spread the fire.
Special Firefighting Procedures/Equipment : Fire may produce irritating, corrosive and/or toxic gases. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Firefighters should wear full protective equipment including self-contained breathing apparatus.

Explosion Data Not expected to be sensitive to mechanical impact or static discharge.
Hazardous Combustion Products Burning will produce toxic fumes containing carbon monoxide and carbon dioxide.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions Ventilate the contaminated area. Keep unnecessary personnel away. Remove all sources of ignition. Use only non-sparking tools. Wear appropriate protective equipment and clothing during cleanup. Avoid inhalation of vapours or mists. Local authorities should be advised if significant spillages cannot be contained.

Spill Response/Cleanup Remove all sources of ignition and ventilate contaminated area. Stop leak if safe to do so. Dike the spilled material where possible. Use water spray to reduce vapours or divert vapour cloud drift. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

SECTION 7 – HANDLING AND STORAGE

Handling Do not use in areas without adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces – no smoking. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion proof equipment. Avoid breathing mist or vapour. Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment. Pregnant or breastfeeding women must not handle this product. Wash hands after handling and before eating.

Storage Requirements Store in a closed container away from incompatible materials. Store in original tightly closed container. Keep in a cool, dry well-ventilated area out of direct sunlight.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation General ventilation (typically 10 air changes per hour) should be used. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

Respiratory Protection Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

Skin Protection Impervious gloves, apron and boots. Butyl rubber gloves are recommended.

Eye/Face Protection Chemical splash goggles; full face shield may be necessary

Other Comments Chemical resistant clothing and boots. An eyewash station and safety shower should be available

General Hygiene Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash thoroughly before reuse.

ACGIH Threshold Limit Values	Type	Value	Form
Ethylene Glycol	Ceiling	100 mg/m ³	Aerosol

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid

Odour and Appearance : Odourless; colourless viscous liquid

Odour Threshold : Not Available

Specific Gravity (Water = 1) : 1.08

Vapour Pressure (mmHg) : 0.09 at 20°C

Vapour Density (Air = 1) : 2.1

Evaporation Rate : Not Available

Boiling Point : 220°F, 104°C

Freezing/Melting Point : -10.3°F, -23.5°C

pH : Not available

Solubility in Water : Soluble

SECTION 10 – STABILITY AND REACTIVITY

Stability/Reactivity	Stable under normal conditions.
Conditions for Chemical Instability	Heat, open flame and direct sunlight. Keep away from incompatibles. Do not use in areas without adequate ventilation.
Incompatible Materials	Strong oxidizing agents, strong acids, strong bases, perchloric acid.
Hazardous Decomposition Products	<i>None known refer to hazardous combustion products in Section 5.</i> The following may be released during a fire: burning produces obnoxious and toxic fumes. Carbon oxides.
Hazardous Polymerization	Hazardous polymerization does not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of Entry	: Eyes, skin, respiratory and digestive system
Skin Contact	: Direct skin contact may cause slight or mild transient irritation.
Eye Contact	: Direct contact may cause very mild, temporary irritation and redness.
Ingestion	: Harmful or fatal if swallowed.
Inhalation	: May cause nausea, vomiting, diarrhea and other central nervous system effects.
Chronic Exposure Effects	: Chronic skin contact with low concentrations may cause dermatitis. Prolonged or repeated overexposure may cause kidney damage.
Irritancy	: Causes mild skin irritation. Prolonged contact, such as when trapped against the skin under clothing or jewelry, may be more irritating.
Sensitization	: Not expected to be a skin or respiratory sensitizer.
Carcinogenicity	: No components listed as carcinogen by ACGIH, IARC, OSHA or NTP.
Teratogenicity	: Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.
Mutagenicity	: Not expected to be mutagenic.
Reproductive Effects	: Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.

SECTION 12 – ECOLOGICAL INFORMATION

General Comments	Not expected to be harmful to aquatic organisms.
-------------------------	--

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water suppliers. Dispose in accordance with federal, provincial or local government requirements. Contact your local, provincial or federal environmental agency for specific regulations.
-----------------------	---

SECTION 14 – TRANSPORT INFORMATION

TDG Shipping Regulations	Not Regulated as dangerous goods
---------------------------------	----------------------------------

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification	Class D1B – Toxic Material Class D2A – Very Toxic Material
Domestic Substances List	All ingredients are listed on the DSL or are not required to be listed.

SECTION 16 – OTHER INFORMATION

Prepared by:	Lab Services PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord Ontario L4K 1L7
Preparation Date:	June 8, 2018

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.