

# PMC WATER SYSTEMS SERVICES INC. 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL pmcwater@aol.com, www.pmcwatersystems.com

# MATERIAL SAFETY DATA SHEET C-3612



#### **SECTION 1 - MATERIAL IDENTIFICATION AND USE**

Manufacturer's Name : PMC Water Systems Services Inc.

Manufacturer's Address : 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7

**Manufacture's Phone #** : (905) 669-8262

**24 Emergency Phone** # : Canutec (613) 996-6666

Product Identifier : C-3612

Product Use : Chlorine based bleaching agents, sterilization

#### SECTION 2 – COMPOSITION/INGREDIENTS OF MATERIAL

IngredientsConcentrationCAS #LD50LC50Sodium Hydroxide0.2-5%1310-73-2800 mL/kg (oral - rat)Not AvailableSodium Hypochlorite12-14%7681-52-93-5g/kg (oral - rat)No Data

#### **SECTION 3 – HAZARDS IDENTIFICATION**

Classification DANGER. CAUSES EYE BURNS. CAUSES SKIN BURNS

**Emergency Overview** Clear, yellow-green liquid. Chlorine odour. Danger. May develop chlorine gas if mixed with acidic solutions.

Contact with acids, contamination or heating may cause the release of corrosive chlorine gas. May react with water generating heat. Contact with metals may release small amounts of flammable hydrogen gas. Corrosive material. Causes eye burns. Prolonged contact may produce chemical burns to affected skin areas. May cause severe irritation to the nose, throat and respiratory tract. May cause severe irritation to the mouth, throat and

stomach.

Potential Health Effects Signs and Symptoms of Short-Term (Acute) Exposure

**Eyes** May cause chemical burns. May cause blindness.

**Skin** May cause chemical burns. Direct skin contact may cause skin burns and deep ulcerations.

Inhalation Inhalation of high concentrations of fumes or mists may cause severe irritation and corrosive damage to

nose, throat and upper respiratory tract.

**Ingestion** Harmful if swallowed. May cause chemical burns to mouth, throat and stomach. Symptoms may include

abdominal pain, vomiting, burns, perforations and bleeding.

**Chronic Effects** Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Repeated inhalation may

cause permanent lung damage.

Signs and Symptoms The product may cause burns to eyes, skin and mucous membranes.

**Potential** Components of this product have been identified as having potential environmental concerns.

**Environmental Effect** 

#### **SECTION 4 – FIRST AID MEASURES**

Eye Contact Flush eyes thoroughly with running water for at least 20 minutes, holding eyelids open to ensure complete

flushing. Remove contact lenses, if present, after the first five minutes then continue rinsing the eye. Seek

immediate medical attention/advice.

Skin Contact Immediately remove all contaminated clothing. Wash thoroughly with soap and water for at least 20 minutes.

Obtain medical attention immediately. Discard or wash contaminated clothing before reuse.

Inhalation Immediately remove victim to fresh air. If breathing is difficult, give oxygen by qualified medical personnel

only. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice.

**Ingestion**Call a poison control centre immediately. Do not induce vomiting. Rinse mouth with water and then drink one to two glasses of water. Never give anything by mouth to an unconscious or convulsing person. Do not give

acidic antidotes such as juice, soft drinks, vinegar, etc. Seek immediate medical attention/advice.

#### SECTION 5 - FIRE FIGHTING MEASURES

**Flammability** Stable. Not flammable under normal use conditions. May react with water generating heat. Generated heat

may be sufficient to ignite nearby combustible materials. Product may react with some metals and release

small amounts of flammable hydrogen gas.

**Flash Point** Not Available Not Available Autoignition

**Temperature** 

**Extinguishing Media** Treat with surrounding material. Do not use dry chemical extinguishing agents that contain ammonium

compounds.

**Special Firefighting Procedures/Equipment**  Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe. Use water to cool fire

exposed containers.

**Explosion Data** 

**Hazardous Combustion** 

Not expected to be sensitive to mechanical impact or static discharge.

**Products** 

May include and not limited to: chlorine, hydrogen chloride gas, oxygen, sodium oxides.

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Restrict area until completion of clean up. Ensure cleanup is conducted by trained personnel only. Do not

touch and walk through spilled material. All individuals dealing with clean up should wear appropriate

protective equipment including self-contained breathing apparatus.

**Environment Precautions:** Ensure spilled product does not enter drains, sewers, waterways or confined spaces. If necessary, dike ahead

of the spill to prevent runoff into drains, sewers or any natural waterway or drinking supply.

Spill Response/Cleanup Remove all sources of ignition. Ventilate area of release. Stop the spill at source if safe to do so. Contain and

> absorb spilled liquid with non combustible inert absorbent material (eg sand). Then place absorbent material into a container for later disposal (see section 13). Flush with water. Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product.

Notify the appropriate authorities as required.

**Prohibited Materials** Do not use combust absorbents such as sawdust.

#### SECTION 7 – HANDLING AND STORAGE

**Handling** Wear chemically resistant protective equipment during handling. Use only in well ventilated areas. Avoid

> breathing vapour or mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat, flame and incompatibles. Keep containers tightly closed when not in use. Empty containers

retain residue (liquid and/or vapour) and can be dangerous.

**Storage Requirements** Keep out of reach of children. Store in a cool, dry, well-ventilated area. Storage area should be clearly

identified, free from obstruction and accessible only to trained and authorized personnel. Use polyethylene, polypropylene, FRP or PVC containers. Inspect periodically for damage or leaks. Protect from sunlight. Do not freeze. Store product at -10 to 30°C, away from sunlight or high temperatures. Keep from freezing. Always

keep in containers made of the same materials as the supplier's container.

#### SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ventilation** Use only in well ventilated areas. Use local exhaust if mist or spray is generated

Respiratory protection is required if the concentrations exceed 2 mg/m<sup>3</sup>. NIOSH approved respirators are **Respiratory Protection** 

recommended. Seek advice from respiratory protection specialists.

**Skin Protection** Impervious gloves

**Eve/Face Protection Other Comments General Hygiene** 

Chemical splash google; full face shield may be necessary

Chemical resistant clothing and boots. An eyewash station and safety shower should be available

Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke while using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet

facilities. Remove soiled clothing and wash thoroughly before reuse.

Exposure Limits	ACGIH TLV		OSHA	
Ingredients	TWA	STEL	PEL	STEL
Sodium Hydroxide	$2 \text{ mg/m}^3$	N/D	$2 \text{ mg/m}^3$	N/D
Sodium Hypochlorite	N/D	$2 \text{ mg/m}^3$	N/D	N/D

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid

Odour and Appearance : Chlorine; greenish-yellow solution

Odour Threshold:Not AvailableSpecific Gravity (Water = 1):1.10 - 1.18Vapour Pressure (mmHg):22 @ 20°CVapour Density (Air = 1):Not AvailableEvaporation Rate:Not Available

Boiling Point : Decomposes upon heating

Freezing/Melting Point : -20°C, -4°F
pH : 1.5-13.5
Coefficient Water/Oil Distribution : Not Available
Solubility in Water : Miscible / soluble

#### SECTION 10 – STABILITY AND REACTIVITY

Stability/Reactivity Stable under recommended storage and handling conditions prescribed. Contact with

some reactive metals may produce flammable hydrogen gas. Product may slowly decompose in sunlight generating small amounts of oxygen. Reacts with amines and ammonia compounds to form explosively unstable compounds. May develop chlorine if

mixed with acidic solutions. Corrosive to metals.

Conditions for Chemical Instability Heat, open flame and direct sunlight. Keep away from incompatibles. Keep container

tightly closed when not in use.

Hazardous Decomposition Products

May include and not limited to: hydrogen chloride, chlorine gas, oxygen, disodium

**Hazardous Polymerization** oxide.

Not expected under prescribed storage and handling conditions.

**Incompatible Materials** Acids, oxidizers, primary amines, ammonium salts, ammonia and urea.

#### SECTION 11 – TOXICOLOGICAL INFORMATION

Target Organs : Eyes, skin, respiratory and digestive system
Routes of Entry : Inhalation, skin and eye contact, ingestion

**Effects of Acute Exposure** 

Skin Contact : May cause chemical burns

**Eye Contact** : May cause chemical burns. May cause blindness.

Ingestion : Avoid swallowing. May cause chemical burns to mouth, throat and stomach.

Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.

Inhalation : May cause chemical burns.

Chronic Exposure Effects : Non-hazardous by WHMIS criteria.

**Irritancy** : Corrosive

Sensitization : No data available to indicate product or components may be respiratory sensitizers.

May cause allergic skin reaction (eg hives, rash) in some hypersensitive individuals.

Carcinogenicity: Non-hazardous by WHMIS criteria.Teratogenicity: Non-hazardous by WHMIS criteria.Mutagenicity: Non-hazardous by WHMIS criteria.Reproductive Effects: Non-hazardous by WHMIS criteria.

#### SECTION 12 - ECOLOGICAL INFORMATION

**General Comments** Harmful to aquatic life.

#### SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Dispose in accordance with federal, provincial or local government requirements. Contact your local,

provincial or federal environmental agency for specific regulations.

#### **SECTION 14 – TRANSPORT INFORMATION**

TDG Shipping Regulations UN 1791, Sodium Hypochlorite Solution, Class 8 (9.2), PG III

## **SECTION 15 – REGULATORY INFORMATION**

WHMIS Classification Class E: Corrosive Material

**Domestic Substances List**All ingredients are listed on the DSL or are not required to be listed.

### **SECTION 16 – OTHER INFORMATION**

Prepared by: Lab Services

PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord, ON L4K 1L7

**Preparation Date:** November 16, 2015

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.