



PMC WATER SYSTEMS SERVICES INC.

124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.


TEL 905 669 8262, FAX 905 669 8252, EMAIL pmcwater@aol.com, www.pmcwatersystems.com

C-2010

CLOSED SYSTEM CORROSION INHIBITOR

APPLICATION:

PMC C-2010 is a concentrated liquid blend corrosion inhibitor, sequesterants and dispersants for use in closed cooling and heating water systems. C-2010 combines the performance of a Nitrite-Borate inhibitor with copper (and alloys) corrosion inhibitors to provide complete protection against corrosion. C-2010 provides sequesterants to tie up any existing metal oxides and thus prevent their deposition on metal surfaces where they might accelerate localized pitting. C-2010 contains polymers to disperse and condition hardness salts, reducing the insulating effect of deposits on heat transfer surfaces.



BENEFITS:

- * Excellent corrosion protection for ferrous and nonferrous metals
- * Contains no toxic heavy metals.
- * Compatible with antifreeze solutions.
- * Easy to monitor and control.

FEEDING AND CONTROL:

PMC C-2010 should be fed as required by means of a pot feeder or chemical pump.

PMC C-2010 should be added to the system to maintain a nitrite residual of 800 ppm to 1000 ppm.

PRECAUTIONS:

Study Material Safety Data Sheet.

PACKAGING:

Plastic pails	25 KG
Poly drums	230 KG