

PMC WATER SYSTEMS SERVICES INC. 124 CONNIE CRES. UNIT 9 CONCORD, ONTARIO.

TEL 905 669 8262, FAX 905 669 8252, EMAIL pmcwater@aol.com, www.pmcwatersystems.com

MATERIAL SAFETY DATA SHEET R-700 & R-701 NITRITE INDICATOR

Protection Required



MATERIAL IDENTIFICATION AND USE

Manufacturer's Name : PMC Water Systems Services Inc.

Manufacturer's Address : 124 Connie Crescent, Unit 9, Concord, ON L4K 1L7

Manufacture's Phone # : (905) 669-8262

24 Emergency Phone # : Canutec (613) 996-6666

Product Identifier : R-700 and R-701

Product Use : Test Reagent

WHMIS Class : [D2B] Toxic

TDG Class : Not TDG Regulated

HAZARDOUS INGREDIENTS OF MATERIAL

Ferrous Sulphate .1-1.0% 77-82-630 1500 mg/KG (mouse) No Data Available

All the remaining ingredients are not classified as hazardous according to the DSL.

PHYSICAL DATA FOR PRODUCT

Physical State : Liquid

Odour and Appearance: Odourless; RedOdour Threshold: No Data Available

Specific Gravity (Water = 1) : 1.0 g/cc

Vapour Pressure (mmHg)

Vapour Density (Air = 1)

Evaporation Rate

Boiling Point

No Data Available

pH : 2.6

Coefficient Water/Oil Distribution : No Data Available

FIRE AND EXPLOSION HAZARD OF PRODUCT

Flash Point And Method of : Not Flammable

Determination

Conditions of Flammability : Not Flammable

Means of Extinction : Dry chemical, carbon dioxide and foam

Upper Explosion Limit:No Data AvailableLower Explosion Limit:No Data AvailableAuto-Ignition Temperature:No Data Available

Hazardous Combustion Products: When product is involved in a fire, firefighters should were full protective clothing and

self-contained breathing apparatus if exposed to vapours or products of combustion.

REACTIVITY DATA

Stability: StableIncompatible Materials: None

Conditions of Reactivity : No Data Available Hazardous Decomposition Products : No Data Available

TOXICOLOGICAL PROPERTIES

Routes of Entry

Skin Contact:YesSkin Absorption:YesEye Contact:YesIngestion:YesInhalation:Yes

Acute or Over Exposure Effects : May irritate mucous membranes

Chronic Exposure Effects No Data Available **Exposure Limit** No Data Available **Irritancy** No Data Available Sensitization No Data Available None Known Carcinogenicity **Teratogenicity** None Known Mutagenicity None Known **Reproductive Effects** None Known

PREVENTATIVE MEASURES

Personal Protective Equipment:Safety glasses and rubber glovesRespiratory Protection:Not normally requiredVentilation Requirements:Normal room ventilation

Spill and Leak Procedures : Dilute with water and flush into the sewer with abundant water.

Storage Requirements: NoneSpecial Handling Information: None

FIRST AID MEASURES

Flush eyes with abundant water for 15 minutes. Call a physician. Wash skin with soap and water. In case of ingestion, induce vomiting. Call a physician.

PREPARATION INFORMATION

Prepared By : Lab Services

PMC Water Systems Services Inc. 124 Connie Crescent, Unit 9 Concord, ON L4K 1L7

 Phone
 : 905-669-8262

 Fax
 : 905-669-8252

 Date Prepared
 : August 11, 2013

While all the data presented is believed to be accurate at the time of preparation, PMC Water Systems Services Inc. makes no warranty; the data is offered for your consideration, investigation and verification.